


"STOP CORONA VIRUS-Wash Your Hand/Wear Mask/Maintain Social Distance"



DELHI JAL BOARD
(GOVT. OF N.C.T. DELHI)
QUALITY CONTROL LABORATORY,
WATER TREATMENT PLANT NANGLOI, DELHI-110041



Water sample collected from "Aakash Public School" Ishwar Colony, Arjun Park, New Delhi-110043 Vide Challan No. 98 Dated : 07.07.2022.

S. No	Parameter	Units	Limit		S1
			Acceptable	Permissible	
PHYSICAL EXAMINATION					
1.	Date of collection	-----	--	--	22.07.2022
2.	Date of Analysis	-----	--	--	25.07.2022
3.	Colour	Hazen	5.0	15	Clear
4.	Odour	-----	No. Objectionable		No Obj.
5.	Turbidity	N.T.U.	1.0	5.0	0.21
6.	PH value	-----	6.5	8.5	7.0
7.	Electrical Conductivity	µmho	--	--	110
8.	Total dissolved solids	mg/l	500	2000	64
CHEMICAL EXAMINATION					
9.	P th Alkalinity	mg/l	--	--	NIL
10.	Total Alkalinity	mg/l	200	600	22
11.	Total Hardness	mg/l	200	600	14
12.	Calcium Hardness	mg/l	--	--	8.0
13.	Magnesium Hardness	mg/l	--	--	6.0
14.	Calcium as Ca	mg/l	75	200	3.2
15.	Magnesium as Mg	mg/l	30	100	1.44
16.	Ammonia as N	mg/l	0.5	N.R.	NIL
17.	Nitrite as N	mg/l	--	--	NIL
18.	Nitrate as No ₃	mg/l	45	N.R.	0.6
19.	Sulphate	mg/l	200	400	12
20.	Chloride	mg/l	250	1000	16
21.	Dissolved Iron	mg/l	0.3	N.R.	NIL
22.	Fluoride	mg/l	1	1.5	NIL
23.	Cyanide	mg/l	0.05	N.R.	ND
24.	Residual Chlorine	mg/l	0.20	1.0	NIL
BACTERIOLOGICAL EXAMINATION					
25.	Coli-form per 100 ml at 37°C	MPN	0		0

Chief Water Analyst
 D.J.B.
 Diary No. 43
 Date: 25/07/22


REMARKS : As per tested parameters sample -S1 can be use for drinking purpose .

S. Sandey
 Chemist 25/07/22

For Aakash Public School
 Smeet Sharma
 Manager

Principal

25/07/22
 ACWA
 ASST. CHIEF WATER ANALYST
 DELHI JAL BOARD
 Govt. of N.C.T. Delhi
 Quality Control Laboratory
 Water Works, Nangloi, Delhi-41



South Delhi Municipal Corporation
Office of the Executive Engineer, M-I
Najafgarh Zone
Near Delhi Gate Najafgarh, New Delhi - 43

No. AE (M-I)-NGZ/SDMC/2014-15/ 954


Dated: 18.12.14

Structural Stability Certificate



This is in reference to letter received in this office vide dairy No. 652/AE-I dated 18.12.2014 wherein Aakash Public School, Ishwar Colony, Arjun Park, New Delhi 110043, has applied for Structural safety Certificate.

In this regard, it is stated that the building of Aakash Public School, Ishwar Colony, Arjun Park, New Delhi 110043 was inspected as per the drawing supplied to this office and it is found that the building is structurally safe as per the appearance and site verification". The Certificate is based on the certificate issued by the Architects Group (Sharma & Associates), Regn. No. MCD LIC No. S-1192/97, Seat No. 4-C, Pst Office Lane, Tis Hazar Courts, Delhi - 110054. This is further subject to necessary permission/ NOC from EE(Building) for building bye-laws, Delhi Fire Service, Delhi Police and Delhi Jal Board etc.

Aakash Public School,
Ishwar Colony, Arjun Park,
New Delhi 110043


Asstt. Engineer M-I
Najafgarh Zone/SDMC

(M P PANWAR)
AE-M-NGZ M.C.D.

For Aakash Public School

Sumeet Sharma
Manager

Principal

**DELHI JAL BOARD: GOVT. OF NCT OF DELHI
OFFICE OF THE EXECUTIVE ENGINEER (RWH/GWC)
ROOM NO. 209, VARUNALAYA PHASE-I
KAROL BAGH, NEW DELHI - 110005
23558264**

No./DJB/EE(RWH/GWC)/2018/5958.

DATED: 29/10/18

To,

Principal,
Aakash Public School,
Ishwar Colony, Arjun Park,
Delhi-43

Subject:- Regarding adequacy of rain water harvesting system at Aakash Public School, Ishwar Colony, Arjun Park, Delhi-43.

Sir,

Please refer to your letter dated 18/10/2018 in which you have informed that rain water harvesting system has been installed at your above School. The site was inspected by NGT constituted team and found that the RWH structures installed in your school is adequate and functional. The two Nos. RWH Structures without bore well of sizes 4.20 x 3.0 x 3.0 m and 3.0 x 2.10 x 2.10m are sufficient to harvest the roof top area of 2470sqm out of 4058sqm plot area.

You are requested to keep the existing RWH system neat & clean & maintain the same periodically.

For Aakash Public School
Sumeet Sharma
Manager
Principal

Hoo
EE (RWH/GWC)
EE (G W CELL)
DELHI JAL BOARD
VARUNALAYA BHAWAN,
JHANDEWALLAN, N.D.-05



AAKASH PUBLIC SCHOOL

(Sr. Sec. Recognised & Affiliated to C.B.S.E.)

Ishwar Colony, Arjun Park, New Delhi-110043

Ph. : 788 000 3131, 788 000 3232

Ref. No. APS/F-PTA/2023-24

Dated. 12/03/2024

LIST OF PTA MEMBERS

S.NO.	NAME	DESIGNATION	DETAIL OF PTA MEMBER
1	MRS.NEENA GUPTA	PRINCIPAL	PRINCIPAL
2	MRS. SMRITI SHARMA	G.SECRETARY	PARENTS
3	SH.VIKASH GUPTA	EXECUTIVE MEMBER	PARENTS
4	SH. RAJESH PAUL	EXECUTIVE MEMBER	PARENTS
5	SH. SUSHIL GAUTAM	EXECUTIVE MEMBER	PARENTS
6	MR.KARAMVIR	EXECUTIVE MEMBER	TEACHER

For Aakash Public School

Sumeet Sharma
Manager

Principal



CERTIFICATE OF REGISTRATION

SOCIETIES REGISTRATION ACT XXI OF 1860

Registration No. S. 37199 of 2000

I hereby certify that GURU DHAM EDUCATIONAL & WELFARE SOCIETY

located at A-37 RAM NAGAR
OM VIHAR UTTAM NAGAR NEW DELHI-59,


has been registered under the "SOCIETIES REGISTRATION ACT-XXI of 1860".

Given under my hand at DELHI on this 5TH day
of JUNE Two Thousand

Registration Fee of Rs. 50/- paid



Seal
Registrar of Societies
Delhi


REGISTRAR OF SOCIETIES
Govt. of N.C.T. of Delhi

For Aakash Public School


Suneet Sharma
Manager


Principal

134

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE
NEW DELHI-110 001.

No.F.6/DFS/MS/School/2023/SZ/39

Dated: 18/01/2023

FIRE SAFETY CERTIFICATE

Certified that the **Aakash Public School**, Ishwar Colony, Arjun Park, New Delhi-110043, comprised of ground floor plus three upper floors (third floor having single hall only on terrace not in use and closed), owned/occupied by Aakash Public School was issued Fire Safety Certificate by this department vide letter No. F.6/DFS/MS/School/2019/SZ/1970 dated 15/10/2019. The School building was re-inspected by the officer concerned of this department on 06/01/2023 in the presence of Mr. Sumeet Sharma (Manager) and found that the School building have deemed complied the fire prevention and fire safety requirements in accordance with Rule 33 of the Delhi Fire Service Rules 2010 and that the building/premises (**Ground floor, First floor & Second floor**) is fit for occupancy class "Educational" for a period of three years in accordance with Rule 36 unless renewed under Rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under Rule-38 of the Delhi Fire Service Rules, 2010 printed as below.

Issued on.....18/01/2023..... at New Delhi.


(SUNIL CHAWDHARY)
DY. CHIEF FIRE OFFICER
SOUTH ZONE

olec

Copy to:-

1. The Manager,
Aakash Public School,
Ishwar Colony, Arjun Park, New Delhi-110043
2. Director of Education,
Govt. of NCT of Delhi, Old Secretariat,
New Delhi-110054.

Following fire safety directives must be adhered to:-

1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
2. The means of escape shall be kept unlocked and unobstructed for unhindered evacuation of occupants in case of emergency.
3. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
4. The trained staff should be available round the clock.
5. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
6. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
7. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in.
8. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in the Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.
9. In case of usage of third floor for schooling purpose then this FSC will be null and void.

For Aakash Public School

Sumeet Sharma
Manager


Principal

GOVERNMENT OF N.C.T. OF DELHI
OFFICE OF THE DY. DIRECTOR OF EDUCATION
DISTRICT SOUTH WEST (B-II) NAJAFGARH, NEW DELHI-110043

No. F. 54(10)/DDE/SW-B-II/Zone-22/Misc/2022/ 828

Dated: 26/12/2022

To

The Manager/Principal,
Aakash Public School,
Ishwar Colony, Arjun Park, New Delhi-0110043.

Sub: - Approval for grant of Extension of Provisional Recognition from class Pre School (with 04 sections @ 40 student) to Sr. Secondary Level (Art, Commerce and Science Streams) under DSEAR, 1973 beyond 31.03.2016 to 31.03.2024 in r/o Aakash Public School, Ishwar Colony, Arjun Park, New Delhi-0110043.

I am directed to convey the approval of the Competent authority for grant of Extension of Provisional Recognition from class Pre School (with 04 sections @ 40 student) to Sr. Secondary Level (Art, Commerce and Science Streams) under DSEAR, 1973 beyond 31.03.2016 to 31.03.2024 in r/o Aakash Public School, Ishwar Colony, Arjun Park, New Delhi-0110043. subject to following terms & conditions:-

1. Final outcome of Notification to be issued by MoUD, GOI.
2. That the school shall observe the relevant provisions of RTE Act, 2009, DSEAR Act, 1973 and directions/instructions issued by the Department from time to time.
3. That the school shall comply with the orders dated 07/11/2017/ guidelines of DoE and judicial pronouncement w.r.t. safety and security of the school children and take all steps to the effect.
4. That the school shall comply with the provisions of Section 10(1) read with Rule 125 of DSEAR, 1973.
5. That the school shall make payment of salary and other admissible allowances to its teaching/non teaching as per ongoing CPC through bank/RTGS.
6. That the school shall appoint 2nd special educator within 02 months and submit the documents to the district authority.
7. That the school shall submit the fresh Fire Safety Certificate issued by Delhi Fire Service within 02 months to the district authority.


(ANANT RAM MEENA)

DY. DIRECTOR OF EDUCATION (ZONE-22)
DISTT. SOUTHWEST-B-II

Dated: 26/12/2022

No. F. 54(10)/DDE/SW-B-II/Zone-22/Misc/2022/ 826
Copy to the following for their information & necessary action please:

1. PA to Director of Education, Old Sectt, Delhi.
2. Add. DE(School), Dte. of Education.
3. DDE(Plg.)Dte. of Education, Timarpur, Delhi.
4. DDE(Act), Old Sectt. Delhi.
5. Secretary, CBSE, Patparganj, Delhi
6. Office copy


(ANANT RAM MEENA)

DY. DIRECTOR OF EDUCATION (ZONE-22)
DISTT. SOUTHWEST-B-II


For Aakash Public School


Sumet Sharma
Manager


Principal



South Delhi Municipal Corporation
Office of Deputy Health Officer
Najafgarh Zone



No: DHO/NGZ/SDMC/2022/D- 850

Dated 4/4/2022

1. Name of the School **AAKASH PUBLIC SCHOOL**
2. School Address **ISHWAR COLONY, ARJUN PARK NEW DELHI-110043.**
3. No. of Shift **ONE** Timing **08:00 AM TO 01:40 PM**
4. No. of Students: **Boys 575 Girls 487 Total =1062**
5. No. of Staffs: **Male 3 Female 22 Total = 25**

Details of Accommodations present in School

1. Floor Space in the Classroom Sufficient/insufficient **SUFFICIENT**
2. The Classrooms are Well Lighted/ ill lighted **WELL LIGHTED**
3. The Classrooms are Well Ventilated/ ill ventilated **WELL VENTILATED**
4. The Classrooms are kept / Not kept Neat & Clean: **NEAT AND CLEAN**
5. The Classrooms/Building requires/does not required Whitewash etc. **NOT REQUIRED**
6. The Drinking Water is Wholesome/ not wholesome **WHOLESOME**
7. The Latrine arrangement is Sanitary/ insanitary **SANITARY FROM HEALTH POINT OF VIEW.**

No. of toilets seats for student

1. One latrine-cum-urinal is required for 25 female student, so total is **SUFFICIENT**
2. One latrine for 40 male student is required so total is **SUFFICIENT**
3. Separate Toilet arrangement for staff present: Yes/No **YES SEPARATE EXISTS FOR STAFF.**
4. The Overall facilities: Good/ Adequate/Inadequate **V.GOOD FROM HEALTH POINT OF VIEW.**

If building Department or any other govt. agency takes actions against u/a construction or any dispute, then the Health Certificate will be stand cancelled /revoked without any further intimation in this regard

For Aakash Public School

Sumeet Sharma
Manager

[Signature]
Principal

[Signature]
Deputy Health Officer
Deputy Health Officer
S.D.M.C. Najafgarh, Zone

N/21

INSPECTION REPORT

1. Name & address of the building : Aakash Public School, Ishwar Colony, Arjun Park, New Delhi-43
 2. Building comprised of : G+3 floors (third floor having single hall only on terrace not in use)
 3. Type of Occupancy : Educational
 4. Type of Case : Renewal
 5. Details of Previous NOC : F.6/DFS/MS/School/2019/SZ/1970 dated 15/10/2019
 6. Fire Safety directives letter No : N/A
 7. Date of inspection : 06/01/2023
 8. Name of Inspecting Officer : A.D.O. R.K.Yadav
 9. Name and designation of officers
 From the building side : Mr. Sumeet Sharma (Manager)
 10. Year of Construction : 2005 (GF & FF) & 2008 (SF & TF)
 11. Applicant's letter No. : APS/F-Onri/NOC/1974/2022 dated 25/11/2022

S. No.	Minimum Standards on fire prevention and fire safety U/R 33	NBC/BBL Requirement	Provided at site	Remarks MR/NMR
1.	Access to building			
	<ul style="list-style-type: none"> Road width Gate width Width of internal road 	Accessible 06 m 4.5 m N/A	Provided 4.5 & 3.9 m N/A	MR MR N/A
2.	Number, Width, Type & Arrangement of Exits			
	a. Number of staircases			
	<ul style="list-style-type: none"> Upper Floors Basements 	02 No's N/A	02 No's N/A	MR N/A
	b. Width of staircases			
	<ul style="list-style-type: none"> Upper Floor Basements 	1.50 m each N/A	1.50 m each N/A	MR N/A
	c. Protection of exits			
	<ul style="list-style-type: none"> Fire check door Pressurization 	N/A N/A	N/A N/A	N/A N/A
	d. No. of continuous staircases to terrace	Required	Provided	MR
		1.50 m	1.50m	MR
	e. Width of Corridor	1.0 m	1.02 m	MR
	f. Class room Door Size			
3.	Compartmentation			
	<ul style="list-style-type: none"> Fire check door Sealing of electrical shafts Fire Rating of shaft door Water Curtain Fire Dampers 	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
4.	Smoke Management System			
	<ul style="list-style-type: none"> Basements Upper floors 	N/A Required	N/A Natural ventilation	N/A MR
5.	Fire Extinguishers			
	<ul style="list-style-type: none"> Total numbers Types IS marking 	18 no 's ABC/CO ₂ type ISI marked	Provided Provided ISI marked	MR MR MR

15

h

N/22

6.	First-Aid Hose Reels			
	• Total numbers on each floor	02 no.'s	Provided	MR
	• Length of hose reel hose	30 m	Provided	MR
	• Nozzle diameter	5 mm	Provided	MR
7.	Automatic fire detection and alarming system			
	• Type of detectors	N/A	N/A	N/A
	• Location of Main Panel	N/A	N/A	N/A
	• Location of Repeater Panel	N/A	N/A	N/A
	• Alternate source of power	N/A	N/A	N/A
	• Hooters' Location	N/A	N/A	N/A
8.	MOEFA	N/A	N/A	N/A
9.	Public Address System	N/A	N/A	N/A
10.	Automatic Sprinkler System			
	• Basement	N/A	N/A	N/A
	• Ground Floor	N/A	N/A	N/A
	• Sprinkler above false ceiling	N/A	N/A	N/A
11.	Internal Hydrants			
	• Size of riser/down-comer	N/A	N/A	N/A
	• Number of hydrants per floor	N/A	N/A	N/A
	• Hose Box	N/A	N/A	N/A
12.	Yard Hydrants			
	• Total number of hydrants	N/A	N/A	N/A
	• Hose Box	N/A	N/A	N/A
13.	Pumping Arrangements			
	• Ground Level			
	> Discharge of main Pump	N/A	N/A	N/A
	> Head of Main pump	N/A	N/A	N/A
	> Number of main pumps	N/A	N/A	N/A
	> Jockey Pump out put	N/A	N/A	N/A
	> Jockey pump head	N/A	N/A	N/A
	> Standby Pump out put	N/A	N/A	N/A
	> Standby Pump Head	N/A	N/A	N/A
	> Auto Starting/Manual Stopping	N/A	N/A	N/A
	• Terrace level			
	> Pump House Access			
	> Discharge of pump	450 LPM	Provided	MR
	> Head of the pump	30 m	Provided	MR
	> Power Supply	Required	Provided	MR
	> Auto Starting of pump	Required	Provided	MR
14.	Captive Water Storage for fire fighting			
	• Underground tank capacity	N/A	N/A	N/A
	> Draw-off connection	N/A	N/A	N/A
	> Fire service inlet	N/A	N/A	N/A
	> Access to tank	N/A	N/A	N/A
	• Overhead Tank capacity	10,000 ltrs	Provided	MR
15.	Exit Signage.	Required	Provided	MR

Provisi

17.


18.

Provision of Lifts.		No Lift		
17.	• Pressurization of Lift Shaft	N/A	N/A	N/A
	• Pressurization of Lift lobby	N/A	N/A	N/A
	• Communication In lift Car	N/A	N/A	N/A
	• Fireman's Grounding Switch	N/A	N/A	N/A
	• Lift Signage	N/A	N/A	N/A
17.	Standby power supply	N/A	N/A	N/A
18.	Refuge Area.			
	<ul style="list-style-type: none"> ➤ Total Area ➤ Location 	N/A	N/A	N/A
19.	Fire Control Room			
	• Detector System Panel	N/A	N/A	N/A
	• Flow Switch Panel	N/A	N/A	N/A
	• PA System Panel	N/A	N/A	N/A
	• Battery backup	N/A	N/A	N/A
	• Building Floor Plans	N/A	N/A	N/A
20.	Special Fire Protection System for Protection of special Risks, if any:	N/A	N/A	N/A


The fire protection systems provided in the building were tested, checked and found functional at the time of inspection.

In view of the deemed compliance of the minimum standards of fire prevention and fire safety measures as required under the rules the Fire Safety Certificate issued vide letter number F.6/DFS/MS/School/2019/SZ/1970 dated 15/10/2019 renewal under Rule 37 of the Delhi Fire Service Rules 2010 is recommended.

Note: Third floor having single hall only on terrace is not in use and closed. Photographs have been enclosed (placed at C-32)



 12/01/2023
 Signature of Inspecting Officer
 Name:- R.K. Yadav
 Designation:- Asstt. Divisional Officer

D.O. (South West)


 12/01/23
 Dycro (S2)

F.F.


ADD/PMB/
 FT letter is put up for sign per
 Dycro (S2) M M.S. cell


 12/01/2023



AAKASH PUBLIC SCHOOL

(Sr. Sec. Recognised & Affiliated to C.B.S.E.)

Ishwar Colony, Arjun Park, New Delhi-110043

Ph. : 788 000 3131, 788 000 3232

Ref. No. APS/MCL/2024

Dated 28/03/2024

LIST OF MANAGING COMMITTEE MEMBERS OF

AAKASH PUBLIC SCHOOL, ARJUN PARK, NEW DELHI-110043

S.NO.	NAME	DESIGNATION
1.	DR NISHANK WALI	CHAIRMAN
2.	SH. Y.P. PURANG	VICE CHAIRMAN
3.	MR. SUMEET SHARMA	MANAGER
4.	SH. RAJEEV AGGARWAL	MEMBER
5.	SH. VISHAL GUPTA	MEMBER
6.	SMT. DARSHNA	MEMBER
7.	MRS. POONAM GUPTA	MEMBER
8.	SH. DESHBANDU	MEMBER
9.	SH. RAJEEV TYAGI	MEMBER
10.	SH. ASHOK KUMAR KAUL	MEMBER
11.	SH. ARUN VATS	MEMBER
12.	SH. BAJRANG LAL GARG	MEMBER
13.	MR. KALA NAND	MEMBER
14.	MRS. SMRITI SHARMA	P.T.A. MEMBER
15.	MR. KARAMVIR	TEACHER MEMBER
16.	MS. SHIVANI	TEACHER MEMBER
17.	SMT. NEENA GUPTA	PRINCIPAL
18.	HOS, GGSS, NANGLI SAKRAWATI SCHOOL ID: 1822245	D.E. NOMINEE
19.	HOS, G. CO-ED. S.V. DICHAON KALAN SCHOOL ID: 1822262	D.E. NOMINEE
20.	HOS, GOVT. B.SR.SEC.SCHOOL, DHANSA SCHOOL ID: 1822014	ADVISORY BOARD NOMINEE
21.	HOS, GOVT. B.SR.SEC. NO.-1, NAJAFGARH SCHOOL ID.: 1822063	ADVISORY BOARD NOMINEE

For Aakash Public School

Sumeet Sharma
Manager

[Signature]
Principal